

Smart Security Light Camera

Brighter and Safer

Light up dark spots and add security to outdoor areas around your house with a powerful full-HD security camera armed with ultra-bright lights and active defense.

Key Features



Dual 2500 LM Led Lights



PIR Motion Detection (270-degree)



Active Defence



Night Vision (Up to 18m/16ft)



IP65 Dust and Water Protection



FHD 1080p




Two-Way Talk



Supports MicroSD Card (Up to 128 GB)

*BEZVIZ



Extra Protection with Active Defense

When someone enters LC1's 270-degree PIR motion detection area, it emits a 100 dB alarm with flashing light to deter potential intruders. It simultaneously sends an alert with captured images to your smartphones. You can also customize the detection area to keep an eye on places where you need it the most.






Strong and Durable

Built for outdoor use, the LC1 braves any weather — sun, rain, or snow, it stands strong.



Multiple Storage Solutions

The LC1 comes with a built-in MicroSD card slot that can store up to 128 GB of recorded footage. You can also save your images to EZVIZ Cloud or EZVIZ NVRs for additional back-up. (Cloud storage service is only available in certain markets. Please verify the availability before making any purchase.)



Supports MicroSD Card

Encrypted Cloud Storage

Specifications cs-LC1-A0-1B2WPFRL

System Parameters

Processor High-Performance Embedded SOC Processor
Operation System Embedded Linux

Light Parameters

Lamp 2

LED SMD LED

Brightness 2500LM(-10%)

CRI 80

Color Temperature 3000K

Life-span @B50L70 @Ta 25 ℃ 48000H

PIR Sensor Detection

Detection Distance 30 ft

Detection Range 270 degrees
Human Detection Support

Camera Parameters

Resolution 1080p

Field of View 140°(Diagonal)

Night Vision Up to 18m/60ft

Video Parameters

Compression Standard Smart H.264

Max. Resolution 1920 × 1080, FHD

Frame Rate 50Hz @ 25fps, 60Hz @ 30fps

Adaptive frame rate of network transmission

DNR 3D DNR BLC Support

Audio Parameters

Audio Input Built-in Omni-direction microphone

Audio Output Built-in loud speaker

Audio Quality Noise suppression

Network Parameters

Wireless 802.11 b/g/n @2.4GHz only (2T2R, Dual-antenna)

Network Configuration Soft AP Configuration

Minimum network requirement 2.0 Mbps

Storage

Local Storage Supports MicroSD card (Up to 128 GB)

Cloud Storage (Optional)

Event

Sensor PIR Motion Detection Sensor

Alarm Customized Alert Area

Intelligence Motion Detection

Specifications cs-db2-A0-1B3WPMFBR

General

Siren 100-decibel alram

Fixture Material Cast aluminum(Lights) and Plastics(Camera)

Power Supply Hardwired(110V-240V)

Power Consumption ≤2W (normal), ≤8W (max)

Ingress Protection Grade IP65 on camera (Wet Location for light)

Product Dimensions 196 x 211 x 227 mm/ 7.7 x 8.3 x 8.9 inch

Packaging Dimensions 235 x 250 x 270 mm/ 9.3 x 9.8 x 10.6 inch

Weight 1757g/ 3.9 lb

Package Contents:

- Screwdriver
- Mounting Screw Package
- 3 Connection Cables
- 3 Waterproof Kits
- Quick Start Guide

Requirements

- Operating Conditions: -30°C \sim 50°C (-20°F \sim 120°F), Humidity 95% or less

Certifications

CE